




001 Y series

● 3D Atomized fireplace core (manual) 004-037



002 K series

● 3D Atomized fireplace core (automatic) 038-059



003 S series

● 3D Water vapor fireplace with log 060-061



004 M series

● Three-dimensional fireplace 062-069



005 M series

● 2D flat fireplace 070-093



006 M series

● Bare carbon fireplace 094-105



007 A series

● Alcohol fireplace 106-129



008 F series

● Complete fireplace series 130-135

INDEX.

Y SERIES


Y-301, Y-302, Y-303, Y-305, Y-306, Y-307, Y-308, Y-309

Function

- Viewing and humidification function
- Flame size adjustment function
- Water shortage and dry burn prevention function
- Stainless steel water tank, stainless steel panel
- Full water working time 6-8 hours
- Manually add water
- With Remote control

Remark

- 1. 3MM ultra-thin stainless steel panel can be refitted,
3MM black titanium stainless steel wire drawing panel can be refitted
- 2. Can be equipped with water pipe, free of manual water
- 3. Firewood sound can be added
- 4. Voice control function can be added
- 5. Can be modified multi-color APP control or multi-color remote control
- 6. The function of sterilizing lamp can be added
- 7. The cobblestones can be added (Put it on the cover)



Colour: Silvery (Optional)
Texture of material: Stainless steel wire drawing




Colour: Rose Gold (Optional)
Texture of material: Stainless steel wire drawing



Colour: Golden (Optional)
Texture of material: Stainless steel wire drawing



Colour: Black (Optional)
Texture of material: Stainless steel wire drawing




Colour: Black (Standard configuration)
Texture of material: Frosting

METAL COLOR METAL MATERIAL



The product video

PRODUCT SIZE DETAILS



Y-301

3D atomizing furnace core (manual)

Model: Y-301

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 110W/AC100-240V

Spray volume: 400ml/h

Water tank capacity: 3L

N.W: 11.7KGS

G.W: 12.5KGS

Box size: L66*W19*H17CM

Product size: L70*W24*H17CM

Packing size: L74*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



Y-302

3D atomizing furnace core (manual)

Model: Y-302

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 190W/AC100-240V

Spray volume: 900ml/h

Water tank capacity: 5L

N.W: 15.5KGS

G.W: 16.9KGS

Box size: L96*W19*H17CM

Product size: L100*W24*H17CM

Packing size: L104*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm





Y-303

3D atomizing furnace core (manual)

Model: Y-303

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 290W / AC100-240V

Spray volume: 1200ml/h

Water tank capacity: 8L

N.W: 21.8KGS

G.W: 24.4KGS

Box size: L146*W19*H17CM

Product size: L150*W24*H17CM

Packing size: L154*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



Y-303-R-Thin panel

3D atomizing furnace core (manual)

Model: Y-303
Material: stainless steel, cold rolled steel, PP plastic
Power/voltage: 290W / AC100-240V
Spray volume: 1200ml/h
Water tank capacity: 8L
N.W: 21.8KGS
G.W: 24.4KGS
Box size: L146*W19*H17CM
Product size: L150*W24*H17CM
Packing size: L154*W29*H22CM
Button type: Physical buttons
Panelthickness: 15mm




Ultimate 3D flame life
quality presentation



Y-305

3D atomizing furnace core (manual)



Model: Y-305

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 240W/AC100-240V

Spray volume: 1000ml/h

Water tank capacity: 6L

N.W: 18KGS

G.W: 19.6KGS

Box size: L116*W19*H17CM

Product size: L120*W24*H17CM

Packing size: L124*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



Y-305 Black titanium plate

3D atomizing furnace core (manual)

Model: Y-305

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 240W/AC100-240V

Spray volume: 1000ml/h

Water tank capacity: 6L

N.W: 18KGS

G.W: 19.6KGS

Box size: L116*W19*H17CM

Product size: L120*W24*H17CM

Packing size: L124*W29*H22CM

Button type: Physical buttons

Panel thickness: 15mm



Y-306

3D atomizing furnace core (manual)



Model: Y-306

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 340W/AC100-240V

Spray volume: 1400ml/h

Water tank capacity: 10L

N.W: 26.1KGS

G.W: 19.6KGS

Box size: L176*W19*H17CM

Product size: L180*W24*H17CM

Packing size: L184*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



Y-306-R

3D atomizing furnace core (manual)

Model: Y-306-R

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 340W/AC100-240V

Spray volume: 1400ml/h

Water tank capacity: 10L

N.W: 26.1KGS

G.W: 19.6KGS

Box size: L176*W19*H17CM

Product size: L180*W24*H17CM

Packing size: L184*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



Y-307

3D atomizing furnace core (manual)

Model: Y-307

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 400W / AC100-240V

Spray volume: 1500ml/h

Water tank capacity: 12L

N.W: 28.1KGS

G.W: 31.1KGS

Box size: L196*W19*H17 CM

Product size: L200*W24*H17CM

Packing size: 204*29*22CM

Button type: Physical buttons

Panelthickness: 15mm





Y-308

3D atomizing furnace core (manual)

Model: Y-308

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 500W / AC100-240V

Spray volume: 1700ml/h

Water tank capacity: 15L

N.W: 34.7KGS

G.W: 37.4KGS

Box size: L236*W19*H17CM

Product size: L240*W24*H17CM

Packing size: L244*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



jean design
精工细作·未少一点

Y-309

3D atomizing furnace core (manual)

Model: Y-309

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 120W / AC100-240V

Spray volume: 500ml/h

Water tank capacity: 4L

N.W: 12.5KGS

G.W: 13.3KGS

Box size: L76*W19*H17 CM

Product size: L80*W24*H17CM

Packing size: L84*W29*H22CM


Button type: Physical buttons

Panelthickness: 15mm



Y-002

3D atomizing furnace core (manual)



Model: Y-002

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 65W/AC200-240V

Spray volume: 300ml/h

Water tank capacity: 1.5L

N.W: 3.2KG

G.W: 4.3KG

Product size: R18*H28CM

Packing size: L22*W22*H42CM

Key type: physical key + knob adjustment

Light source: LED

Function Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

PP plastic water tank, stainless steel chassis

Full water working time 10-12 hours, Filled by hand,

Equipped with storm cover water injection funnel

Y-003

3D atomizing furnace core (manual)

Model: Y-003

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 65W/AC200-240V

Spray volume: 300ml/h

Water tank capacity: 1.5L

N.W: 3.5KG

G.W: 4.6KG


Product size: 18*18*28CM

Packing size: 22*22*42 CM

Key type: physical key + knob adjustment

Light source: LED

Function Viewing and humidification function,
Flame size adjustment function,
Water shortage and dry burn prevention function
PP plastic water tank, stainless steel chassis,
Full water working time 10-12 hours, Filled by hand,
Equipped with storm cover water injection funnel






Y-350

3D atomizing furnace core (manual)

Model: Y-350
Material: stainless steel, cold rolled steel
Power/voltage: 170W/AC200-240V
Spray volume: 400ml/h
Water tank capacity: 1.5L
Net weight: 9.6 KG
Gross weight: 11KG (excluding stone)
Box size: R30*H 22.5cm
Product size: R35*H22.5cm
Packing size: L39*W39*H27CM
Key type: Physical key
Light source: LED+halogen lamp

Function Viewing and humidification function,
 Flame size adjustment function,
 Water shortage and dry burn prevention function,
 Stainless steel water tank, stainless steel panel
 Full water working time 4-5 hours, Filled by hand

Note: Cobblestones are standard




Y-500

3D atomizing furnace core (manual)

Model: Y-500
Material: stainless steel, cold rolled steel
Power/voltage: 300W/ AC 200-240V
Spray volume: 700ml/h
Water tank capacity: 3L
Net weight: 16.5KG
Gross weight: 18KG (excluding stone)
Box size: R45* H22.5cm
Product size: R50* H22.5cm
Packing size: L54*W54*H27CM
Key type: Physical key
Light source: LED+halogen lamp

Function Viewing and humidification function
 Flame size adjustment function
 Water shortage and dry burn prevention function
 Stainless steel water tank, stainless steel panel
 Working time with full water is 5-6 hours
 Filled by hand
 Remote control included

Note: Cobblestones are standard



Y-520

3D atomizing furnace core (manual)



Model: Y-520

Material: stainless steel, cold rolled steel

Power/voltage: 200W/ AC 200-240V

Spray volume: 700ml/h

Water tank capacity: 3.2L

Net weight: 9.4KG

Gross weight: 11.5KG

Box size: R40*H22CM

Product size: R45*H37CM

Packing size: L50*W50*H43CM Environmentally friendly resin charcoal

Light source: halogen lamp

Function Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function,

Stainless steel water tank

Full water working time 6-8 hours

Filled by hand, Remote control included

K SERIES

K-301, K-302, K-303, K-305, K-306, K-307, K-308, K-309

Function

- Viewing and humidification function
- Flame size adjustment function
- Water shortage and dry burn prevention function
- Stainless steel water tank, stainless steel panel
- Full water working time 6-8 hours
- Manually add water
- With Remote control

Remark

- 1. 3MM ultra-thin stainless steel panel can be refitted,
3MM black titanium stainless steel wire drawing panel can be refitted
- 2. Can be equipped with water pipe, free of manual water
- 3. Firewood sound can be added
- 4. Voice control function can be added
- 5. Can be modified multi-color APP control or multi-color remote control
- 6. The function of sterilizing lamp can be added
- 7. The cobblestones can be added (Put it on the cover)



Colour: Silvery (Optional)
Texture of material: Stainless steel wire drawing




Colour: Rose Gold (Optional)
Texture of material: Stainless steel wire drawing



Colour: Golden (Optional)
Texture of material: Stainless steel wire drawing



Colour: Black (Optional)
Texture of material: Stainless steel wire drawing




Colour: Black (Standard configuration)
Texture of material: Frosting

METAL COLOR METAL MATERIAL



The product video

PRODUCT SIZE DETAILS



K-301

3D atomizing furnace core (automatic)

Model: K-301

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 110W/AC100-240V

Spray volume: 400ml/h

Water tank capacity: 3L

N.W: 14.2KGS

G.W: 15.1KGS

Box size: L66*W19*H17 CM

Product size: L70*W24*H17CM

Packing size: L74*W29*G22CM

Button type: Touch Button

Panelthickness: 3mm





K-302

3D atomizing furnace core (automatic)

Model: K-302

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 190W/AC100-240V

Spray volume: 500ml/h

Water tank capacity: 4L

N.W: 12.5KGS

G.W: 13.3KGS

Box size: L76*W19*H17 CM

Product size: L80*W24*H17CM

Packing size: L84*W29*H22CM

Button type: Physical buttons

Panelthickness: 15mm



K-303

3D atomizing furnace core (automatic)

Model: K-303

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 280W/AC100-240V

Spray volume: 1200ml/h

Water tank capacity: 8L

N.W: 26.7KGS

G.W: 28.9KGS

Box size: L146*W19*H17CM

Product size: L150*W24*H17CM

Packing size: L154*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm



K-303-Horse race lamp

3D atomizing furnace core (automatic)

Model: K-303-Horse race lamp
Material: stainless steel, cold rolled steel, PP plastic
Power/voltage: 280W/AC100-240V
Spray volume: 1200ml/h
Water tank capacity: 8L
N.W: 26.7KGS
G.W: 28.9KGS
Box size: L146*W19*H17CM
Product size: L150*W24*H17CM
Packing size: L154*W29*H22CM
Button type: Touch Button
Panel thickness: 3mm





K-305

3D atomizing furnace core (automatic)

Model: K-305

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 240W/AC100-240V

Spray volume: 1000ml/h

Water tank capacity: 6L

N.W: 21.9KGS

G.W: 23.5KGS

Box size: L116*W19*H17CM

Product size: L120*W24*H17CM

Packing size: L124*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm



K-306

3D atomizing furnace core (automatic)

Model: K-306

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 340W/AC100-240V

Spray volume: 1400ml/h

Water tank capacity: 10L

N.W: 31.5KGS

G.W: 33.3KGS

Box size: L176*W19*H17CM

Product size: L180*W24*H17CM

Packing size: L184*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm



K-306-Horse race lamp

3D atomizing furnace core (automatic)

Model: K-306-Horse race lamp

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 340W/AC100-240V

Spray volume: 1400ml/h

Water tank capacity: 10L

N.W: 31.5KGS

G.W: 33.3KGS


Box size: L176*W19*H17CM

Product size: L180*W24*H17CM

Packing size: L184*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm



K-307

3D atomizing furnace core (automatic)

Model: K-307

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 340W/AC100-240V

Spray volume: 1400ml/h

Water tank capacity: 10L

N.W: 31.5KGS

G.W: 33.3KGS

Box size: L176*W19*H17CM

Product size: L200*W24*H17CM

Packing size: L204*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm



K-308

3D atomizing furnace core (automatic)

Model: K-308

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 500W/AC100-240V

Spray volume: 1700ml/h

Water tank capacity: 15L

N.W: 41.5KGS

G.W: 44.3KGS

Box size: L236*W19*H17CM

Product size: L240*W24*H17CM

Packing size: L244*W29*H22CM

Button type: Touch Button

Panel thickness: 3mm



K-309

3D atomizing furnace core (automatic)

Model: K-309

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 120W/AC100-240V

Spray volume: 500ml/h

Water tank capacity: 4L

N.W: 15.5KGS

G.W: 16.5KGS


Box size: L76*W19*H17CM

Product size: L80*W24*H17CM

Packing size: L84*W29*H22CM

Button type: Touch Button

Panelthickness: 3mm





K-331

3D atomizing furnace core (automatic)

Material: Stainless steel, cold rolled steel, ABS plastic

Power/voltage: 300W / AC100-240V

Spray volume: 250ml/h

Water tank capacity: 1L

N.W: 9.2KG

Water consumption: 0.19ml/h

Furnace core size: 58*15*24CM

Length of water tank: 45CM

Button type: Touch control/wireless remote control/
mobile phone APP

Waterproof LED light strip.

Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color
gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch



Burning wood sound (three sound sources).

Anion function

Light out pure humidification function.

Heater function







K-332

3D atomizing furnace core (automatic)

Material: Stainless steel, cold rolled steel, ABS plastic

Power/voltage: 300W / AC100-240V

Spray volume: 250ml/h

Water tank capacity: 1.5L

N.W: 12.2KG

Water consumption: 0.25ml/h

Furnace core size: 78*15*24CM

Length of water tank: 65CM

Button type: Touch control/wireless remote control/
mobile phone APP

Waterproof LED light strip.

Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch

Burning wood sound (three sound sources).

Anion function

Light out pure humidification function.

Heater function





K-333

3D atomizing furnace core (automatic)

Material: Stainless steel, cold rolled steel, ABS plastic

Power/voltage: 300W / AC100-240V

Spray volume: 250ml/h

Water tank capacity: 2L

N.W: 16.5KG

Water consumption: 0.42ml/h

Furnace core size: 108*15*24CM

Length of water tank: 95CM

Button type: Touch control/wireless remote control/
mobile phone APP

Waterproof LED light strip.

Function

Viewing and humidification function

Flame size adjustment function

Water shortage and dry burn prevention function

Full water working time 6-8 hours

Automatic water

Color running lamp, separate rainbow color, color gradient.

Separate flame color button

Atomization amount can be adjusted 3 levels

Atomization amount can be adjusted 3 levels

Four levels of wind control

Bluetooth link Mobile phone music.

With music rhythm section flame jumping function.

Control panel, remote control, mobile APP control

With child lock safety switch





Burning wood sound (three sound sources).

Anion function

Light out pure humidification function.

Heating function





S-302

3D atomizing furnace core (manual)

Model: S-302

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 190W/AC100-240V

Spray volume: 700ml/h

Water tank capacity: 5L

Net weight: 9.1KG

Gross weight: 20.9KG

Box size: L96*W19*H21CM

Product size: L100*W27*H35CM

Packing size: L104*W31*H43CM

Key type: Physical key

Light source: halogen lamp

Function Viewing and humidification function,

Flame size adjustment function,

Water shortage and dry burn prevention function,

Stainless steel water tank, stainless steel panel,

Full water working time 6-8 hours, Filled by hand,

Remote control included



S-305

3D atomizing furnace core (manual)

Model: S-305

Material: stainless steel, cold rolled steel, PP plastic

Power/voltage: 190W/AC100-240V

Spray volume: 700ml/h

Water tank capacity: 5L

Net weight: 9.1KG

Gross weight: 20.9KG

Box size: L96*W19*H21CM

Product size: L100*W27*H35CM

Packing size: L104*W31*H43CM

Key type: Physical key

Light source: halogen lamp

Function Viewing and humidification function,

Flame size adjustment function,

Water shortage and dry burn prevention function

Stainless steel water tank, stainless steel panel

Full water working time 6-8 hours

Filled by hand, Remote control included

