

Beautiful
because
of
you

鷹皇灯饰-2020年
产品手册方案

Product catalog 2020



鷹皇燈飾®
EME LIGHTING




ABOUT US

EME(Zhongshan) co., LTD. is a production and sales of lighting and lighting equipment of the private (lighting) of science and technology co., LTD was registered in 2004. Headquarters is located in the zhongshan city.near the eagle huang industrial park.

EME is to serve the global lighting and lighting technology suppliers, focus on the lighting and lighting field, insist on prudent management, continuous innovation, opening up and cooperation, for the global lighting lighting engineering, municipal enterprise end users with the latest technology such as the overall solutions, products, equipment and services, is committed to energy-saving, environmental protection science and technology to build a better lighting the world.






A/ The Light of
Brightness Series



Living room Restaurant Study room Bedroom



Beautiful because of you | The Light of Brightness Series




KMB-W1001

Power: LED 8W	Size: (mm) L600*W45*H50	Material: Iron + acrylic
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: 		



Beautiful because of you | The Light of Brightness Series



KMB-L2013

KMB-L2013

Power: E27 9W	Size: (mm) W350*H1425	Material: Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: 		




KMB-W1002 KMB-W1003

GEOMETRIC WALL LAMP


Condensing geometry, binding a beam of light in the sky

- Living room
- Restaurant
- Study room
- Bedroom



KMB-W1002 / W1003


Power: LED 24W	Size: (mm) L1190*W360	Material: Aluminum+Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color:		



KMB-W1026

KMB-W1026

Power: LED 10W	Size: (mm) L600*W60*H80	Material: Stainless Steel + Acrylic
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color:		



KMB-W1025

KMB-W1025

Power: LED 8W	Size: (mm) L100*W100*H325	Material: Stainless Steel + Acrylic
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color:		



GEOMETRIC WALL LAMP

Condensing geometry, binding a beam of light in the sky



Living room




Restaurant



Study room



Bedroom



KMB-W20131

Power:
E27 5W

Size: (mm)
W300*E54


Material:
Iron

CCT: 3000K,4000K,6000K

CRI: Ra≥80

Input Voltage : 110- 240V AC50-60Hz

Color: ■



KMB-P2013

KMB-P2013

Power:
E27 5W

Size: (mm)
W300

Material:
Iron

CCT: 3000K,4000K,6000K

CRI: Ra≥80

Input Voltage : 110- 240V AC50-60Hz

Color: ■



KMB-W2013

KMB-W2013

Power:
E27 5W

Size: (mm)
L300*W500*H280


Material:
Iron

CCT: 3000K,4000K,6000K

CRI: Ra≥80


Input Voltage : 110- 240V AC50-60Hz

Color: ■



KMB-W2016

KMB-W2016		
Power: LED 6W	Size: (mm) L100*W110*H740	Material: Iron + acrylic
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage : 110- 240V AC50-60Hz
Color: ■		



KMB-W2017

KMB-W2017		
Power: LED 9W	Size: (mm) L80*W143*H1000mm	Material: Iron + acrylic
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage : 110- 240V AC50-60Hz
Color: ■		



B/ The Light
of Warmth Series


Living room Restaurant Study room Bedroom

KMB-W1004



KMB-W1004


Power: E27 5W+LED 2W	Size: (mm) L200*W230*H325	Material: Aluminum + Iron + Fabric Cover
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: 		






KMB-W1005

Power: E27 5W+LED 2W
Size: L220*W186*H264mm
CRI: Ra $\geq$ 80
Material: Aluminum+Iron + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz




KMB-W1006

Power: E27 5W
Size: L250*W175*H280mm
CRI: Ra $\geq$ 80
Material: Iron + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-W1007


Power: E27 7W
Size: L350*W175*H280mm
CRI: Ra $\geq$ 80
Material:Stainless Steel + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-W1008

Power: E27 5W+2* LED 2W
Size: L200*W235*H325mm
CRI: Ra≥80
Material: Aluminum + Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz





KMB-W1009

Power: E27 5W+2* LED 2W
Size: L160*W180*H310mm
CRI: Ra≥80
Material: Aluminum + Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-W1010


Power: E27 5W+2* LED 2W
Size: L160*W210*H272mm
CRI: Ra≥80
Material: Aluminum + Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-W2014

Power: E27 5W+LED 2W
Size: L250*W412*H366mm
CRI: Ra $\geq$ 80
Material: Aluminum + Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz




KMB-W2015

Power: E27 5W+LED 2W
Size: L200*W310*H578mm
CRI: Ra $\geq$ 80
Material: Iron + Wood + Aluminum + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz
Notes: Walnut Board



KMB-W1018


Power: 2W+5W
Size: W250*H79mm
CRI: Ra $\geq$ 80
Material: Iron + Aluminum
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-W1020

Power: 2W+5W
Size: L160*W120*H75mm
CRI: Ra $\geq$ 80
Material: Aluminum+Iron
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz





KMB-T2001

Power: E27 7W
Size: L280*W280*H600mm
CRI: Ra $\geq$ 80
Material: Iron+Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-T2002


Power: E27 7W
Size: L250*W400*H660mm
CRI: Ra $\geq$ 80
Material: Iron+Copper+Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-T2003

Power: E27 9W
 Size: L320*W582*H1600mm
 CRI: Ra≥80
 Material: Iron + copper + Fabric Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz




KMB-T2004

Power: E27 7W
 Size: W200*H385mm
 CRI: Ra≥80
 Material: Iron + Fabric Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60H;



KMB-T2005


Power: E27 7W
 Size: L220*W150*H410mm
 CRI: Ra≥80
 Material: Iron + Fabric Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz






KMB-T2006

Power:E27 7W
Size: W310*H600mm
CRI: Ra $\geq$ 80
Material:Iron + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz





KMB-T2007

Power: E27 7W
Size: W280*H563mm
CRI: Ra $\geq$ 80
Material:Iron + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-T2008


Power: E27 7W
Size: L400*W220*H615mm
CRI: Ra $\geq$ 80
Material:Iron + Fabric Cover
CCT: 3000K,4000K,6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-T2009

Power: E27 7W
Size: W280*H530mm
CRI: Ra $\geq$ 80
Material: Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz




KMB-T2010

Power: E27 7W
Size: 360*150*H270mm
CRI: Ra $\geq$ 80
Material: Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-L2006


Power: E27 9W
Size: W450*H1640mm
CRI: Ra $\geq$ 80
Material: Iron + Fabric Cover
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz







KMB-W1021

Power: LED 6W
 Size: W20*H400mm
 CRI: Ra $\geq$ 80
 Material: Iron + Acrylic
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz





KMB-P3002

Power: LED 2*3W
 Size: W500*H738mm
 CRI: Ra $\geq$ 80
 Material: Iron + Acrylic Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz



KMB-P3001


Power: LED 3W
 Size: W300*H573mm
 CRI: Ra $\geq$ 80
 Material: Iron + Acrylic Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz






KMB-T2011

Power: LED 12W
Size: L640*W180*H420
CRI: Ra $\geq$ 80
Material: Aluminum+Iron
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz




KMB-P3004

Power: E27 5W
Size: W300*H607
CRI: Ra $\geq$ 80
Material: Iron
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz



KMB-T2013


Power: LED 5W
Size: W330*H330
CRI: Ra $\geq$ 80
Material: Aluminum+Iron
CCT: 3000K, 4000K, 6000K
Input Voltage: 110- 240V AC50-60Hz






KMB-P3003

Power: LED 2*3W
 Size: W637*H473mm
 CRI: Ra $\geq$ 80
 Material: Iron + Acrylic Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz




KMB-P3004


Power: LED 3*3W
 Size: W837*H573mm
 CRI: Ra $\geq$ 80
 Material: Iron + Acrylic Cover
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz



KMB-P3006

Power: LED 5W
 Size: W60*H383mm
 CRI: Ra $\geq$ 80
 Material: Copper + Marble
 CCT: 3000K, 4000K, 6000K
 Input Voltage: 110- 240V AC50-60Hz
 Notes: Marble






KMB-P3005

Power: LED 5W Size: (mm) W105*H343 Material: Copper + Marble

CCT: 3000K,4000K,6000K CRI: Ra≥80 Input Voltage: 110- 240V AC50-60Hz

Color:



KMB-P3007

Power: LED 5W	Size: (mm) W150*H273	Material: Copper + Marble
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage : 110- 240V AC50-60Hz
Color: 		




C/ The Light of Quietness Series

- Living room
- Restaurant
- Study room
- Bedroom

GEOMETRIC WALL LAMP

Condensing geometry, binding a beam of light in the sky



The Light of Quietness Series


Beautiful because of you





KMB-W1011

KMB-W1012




KMB-W1011 / KMB-W1012

Power: LED 2W+USB	Size: (mm) L110*W93*H110	Material: Aluminum+Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: ■ ■		



KMB-W1015

KMB-W1016




KMB-W1015 / KMB-W1016

Power: LED 2W	Size: (mm) D85*L110	Material: Aluminum+Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: ■ ■		




KMB-W1013

KMB-W1014



KMB-W1013 / KMB-W1014

Power: LED 2W	Size: (mm) L65*W170*H107	Material: Aluminum+Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: ■ ■		




KMB-W1017

KMB-W1017

Power: LED 2W	Size: (mm) L90*W90*H110	Material: Aluminum+Iron
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V AC50-60Hz
Color: □		




KMB-W1019




KMB-W1019			
Power: LED 2W	Size: (mm) L90*W380*H150	Material: Aluminum+Iron	
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V	AC50-60Hz
Color: 			



KMB-W1022




KMB-W1022			
Power: LED 2W	Size: (mm) W100*H375	Material: Iron + Aluminum + Silica gel	
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V	AC50-60Hz
Color: 			



KMB-W1023

KMB-W1023			
Power: LED 2W	Size: (mm) W120*H500	Material: Iron + Aluminum + Leather	
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V	AC50-60Hz
Color: 			



KMB-W1024

KMB-W1024			
Power: LED 2W	Size: (mm) W178*H50	Material: Aluminum+Iron	
CCT: 3000K,4000K,6000K	CRI: Ra≥80	Input Voltage: 110- 240V	AC50-60Hz
Color: 			



<< EME 360 SHOWROOM >>

EMELIGHTING(ZHONGSHAN)CO.,LTD.

FTY ADD:EME Industrial Park,Yongxing Industrial dist.,
Henglan Town,Zhongshan City,GD,China
<http://www.emelighting.com>
E-mail:design-aura@vip.163.com
Mobile: +86-13702363842



鷹皇燈飾®
EME LIGHTING

ighting - 2020

Beautiful because of you

Product catalog 2020